# PRODUCT DATASHEET



# ChemRepel

TYPE 3, 4, 5 & 6 **DISPOSABLE COVERALL** 

# **Features**

- Ultra-lightweight 65gsm polyethylene laminated film
- Effective barrier against many organic and inorganic liquid chemicals
- Serged and heat taped seams for strength and high level protection
- Fabric offers high level of dry particle and liquid penetration protection
- Reinforced crotch for product durability
- Elasticised waist, hood, ankles, wrists and thumb loop for a secure fit
- Thumb loops prevent sleeves riding up
- Double inner and outer flap for protection against contamination
- 3 piece hood provides additional comfort and head movement over traditional design

# **Standards & Certification**

Category III PPE according to Regulation(EU) 2016/425

Manufactured under license with EC Type Examination Issued by- Centro Tessile Cotoniero e Abbigliamento S.p.A Piazza S. Anna, 2 21052 Busto Arsizo (VA) ITALY 0624 Notified Body Number - 0624



- Production under ISO 9001:2015
- ▶ CE category III PPE Regulation (EU) 2016/425
- ▲ Type 3 EN 14605: Protection against jets of liquid chemicals
- ▲ Type 4 EN 14605: Protection against tight spray of liquid chemicals
- ▲ Type 5 EN ISO 13982-1: Protection against solid particulates
- Type 6 EN 13034: Protection against limited liquid chemicals
- EN 1149-5: Anti-static / Electrostatic

CFPR300

Yellow

- ▶ EN 14126: Protection against infective agents
- ▶ EN 1073-2: Class 1 protection against radioactive contamination

- ▶ EN ISO 13688: Protective clothing general requirements
- ▶ EN 14325: Protective clothing against chemicals

**Specifications** 

# Sizing & Fit

Part No. Colour Material

**Available Sizes** S. M. L. XL. 2XL. 3XL. 4XL Polyethylene

Packaging 1 5 🔊 25 🕅





# PRODUCT DATASHEET

# **Overall Performance of ChemRepel**

GFPR**300** 

Physical Data	Test Method	<b>Result/Class/Conformity</b>
Type 3: Jet Test	EN 14605:2005 + A1:2009	Pass
Type 4: Spray Test	EN 14605:2005 + A1:2009	Pass
Type 5: Particle Test	EN ISO 13982-1:2004 + A1:2010 IL $_{8290} <= 30\%$ and TILS $_{8/10} <= 15\%$	Pass Pass
Type 6: Splash Test	EN ISO 17491-4 met. A-EN13034	Pass
Radioactive Particulates	EN ISO 13982-2-EN 1073-2	Class 1
Electrostatic Properties	EN 1149-5:2008	Pass t50<4s
Seams Strength	EN ISO 13935-2	Class 4

## **Physical Performance Profile of ChemRepel**

Physical Data	Test Method	<b>Result/Class/Conformity</b>
Abrasion Resistance	EN 530	6/6
Tear Strength	EN ISO 9073-4	2/6
Tensile Strength	ISO 13934-1	1/6
Puncture Resistance	EN 863	2/6
Flex Cracking	EN ISO 7854	6/6
Resistance to Blocking	EN 25978	Pass
EN 13688:2022	PH (EN 340-ISO 3071) Amines (EN 340-ISO 3071)	Pass Pass

## **Resistance to Penetration & Repellency of Chemicals (EN ISO 6530)**

Chemicals	Penetration	Repellency	EN Class
H <sub>2</sub> SO <sub>4</sub> (Sulphuric acid) 30%	<1%	> 95%	3/3
NaOH (Sodium hydroxide) 10%	<1%	> 95%	3/3
o-Xylene	<1%	> 90%	3/3
Butan-1-ol	<1%	> 95%	3/3

#### **Chemical Permeation**

Chemicals	Test Method	Result	<b>EN Class</b>	EN Class (Seams)
H <sub>2</sub> SO <sub>4</sub> (Sulphuric acid) 30%	EN ISO 6529	> 480mins	6/6	6/6
NaOH (Sodium hydroxide) 10%	EN ISO 6529	> 480mins	6/6	6/6

#### EN 14126:2003

Test Method	<b>EN Classification</b>	Test Method	<b>EN Classification</b>
ISO 16603	Pass (20kPa)	ISO 16604	6/6
EN ISO 22610	6/6	ISO/DIS 22611	3/3
EN ISO 22612	3/3		

#### **Industries & Applications**

- First Responders & Emergency Services
- Medical & laboratory environments
- Pharmaceutical
- Demolition and construction
- Stone cutting
- ▶ Insulation and fiberglass work
- Hazardous liquid handling and spraying
- Waste management
- ▶ Industrial cleaning & maintenance
- Painting
- Agricultural and pesticide spraying
- Cleanroom operations & sensitive component assembly

#### **Instructions For Use**

Refer to the User Insert Sheet included with the Coverall for full user instructions

#### **Shelf life**

Five years from date of manufacture

#### **Storage**

Do not store in direct sunlight, or in environments above 21°C and above 80% humdity.

#### **Disposal**

Worn coveralls should be disposed of in accrodance to the containment they have been exposed to, and in accordance with local regulations.

#### Cleaning

Single use garment. Do not reuse



Do not iron



Do not clean

Do not machine dry

Do not dry clean



Do not reuse



Keep away from fire

